






```


Person (<u>name</u>:String)
KnowsByName (<u>knowers_name</u>:String,
             <u>known_name</u>:String)
  
```


| Person | name  |
|--------|-------|
|        | 'Ada' |


  


| KnowsByName | knower_name | known_name |
|-------------|-------------|------------|
|             | 'Ada'       | 'Ada'      |






















isKey=true

**Person**(name:String)

**KnowsByName**(knower\_name:String,  
known\_name:String)

Base DataType1:Base DataType

name='String'

Base Attribute2:Base Attribute

name='name'

isKey=true

Base Attribute3:Base Attribute

name='knower\_name'

isKey=true

Base Attribute4:Base Attribute

name='known\_name'

isKey=true

RelSyn RelSchema1:RelSyn RelSchema


name='Person'


RelSyn RelSchema2:RelSyn RelSchema

name='KnowsByName'

RelDBSchema1:RelSyn RelDBSchema

name='KBNRel'







Base AttrMap1:Base AttrMap

**Person**

**name**

-----+-----  
| 'Ada' |

Base Value1:Base Value

content='Ada'

**KnowsByName** | **knower\_name** **known\_name**

-----+-----  
| 'Ada' | 'Ada' |

Base AttrMap2:Base AttrMap

Base AttrMap3:Base AttrMap

Base AttrMap4:Base AttrMap

RelSem Tuple1:RelSem Tuple

RelSem Tuple2:RelSem Tuple

RelDBState1:RelSem RelDBState

